

PAPÉ[®]

Rents

Keeps You Moving[®]



2022-2023 EQUIPMENT GUIDE

SCISSOR LIFTS & TELEHANDLERS



| ELECTRIC SCISSOR LIFTS | | | | | | | ROUGH TERRAIN SCISSOR LIFTS | | | | | | | | |
|------------------------|----------|-----------------------|-----------|------------|--------|--------|----------------------------------|-----------------|-----------------------|---------------|---------------|--------------|---------------|--------|--------|
| Make/Model | Capacity | Platform Height/Width | Weight | Length | Height | | Model | Capacity | Platform Height/Width | Weight | Length | Height | Fuel Capacity | | |
| Genie | GS-1930 | 500 lbs | 19' / 30" | 2,702 lbs | 6' | 6' 7" | Genie | GS-2669 RT | 1,500 lbs | 26' / 69" | 7,295 lbs | 10' 3" | 8' 6" | 18 gal | |
| | GS-2046 | 1,200 lbs | 20' / 46" | 3,977 lbs | 7' 11" | 7' | | GS-3369 RT | 1,000 lbs | 33' / 69" | 7,895 lbs | 10' 3" | 8' 6" | 18 gal | |
| | GS-2632 | 500 lbs | 26' / 32" | 4,413 lbs | 8' | 7' 5" | | GS-4069 RT | 800 lbs | 40' / 69" | 10,245 lbs | 10' 3" | 9' | 18 gal | |
| | GS-2646 | 1,000 lbs | 26' / 46" | 4,312 lbs | 7' 11" | 7' 5" | | GS-3390 RT | 2,500 lbs | 33' / 90" | 12,085 lbs | 13' | 8' 11" | 30 gal | |
| | GS-3232 | 500 lbs | 32' / 32" | 5,185 lbs | 8' | 8' | | GS-4390 RT | 1,500 lbs | 43' / 90" | 12,925 lbs | 13' | 9' 8" | 30 gal | |
| | GS-3246 | 700 lbs | 32' / 46" | 5,211 lbs | 7' 11" | 7' 10" | | GS-5390 RT | 1,500 lbs | 53' / 90" | 16,698 lbs | 16' | 10' 4" | 30 gal | |
| | GS-4047 | 770 lbs | 40' / 47" | 7,100 lbs | 8' | 8' 4" | | MEC | 2684ES | 1,700 lbs | 26' / 84" | 8,100 lbs | 12' | 8' 9" | - |
| | GS-4069 | 800 lbs | 40' / 69" | 10,930 lbs | 10' 3" | 9' | | | 3084RT | 1,500 lbs | 30' / 84" | 7,500 lbs | 14' | 8' 9" | 15 gal |
| Hybrid | ZT-1230 | 550 lbs | 12' / 30" | 1,610 lbs | 4' 8" | 5' 4" | REACHMASTER GLASS HANDLER | | | | | | | | |
| | HB-1430 | 670 lbs | 14' / 30" | 1,645 lbs | 5' 10" | 5' 10" | Model | Capacity | Reach | Weight | Length | Width | Height | | |
| MEC | 1330SE | 530 lbs | 13' / 30" | 1,900 lbs | 4' 2" | 6' 2" | 1265 | 1,265 lbs | 11' 10" | 2,864 lbs | 6' 2" | 2' 11" | 5' 3" | | |
| | MICRO 19 | 500 lbs | 19' / 32" | 2,690 lbs | 5' | 6' 7" | | | | | | | | | |
| | MICRO 26 | 500 lbs | 26' / 32" | 4,190 lbs | 6' 2" | 7' 6" | | | | | | | | | |
| | 4555SE | 500 lbs | 45' / 55" | 7,190 lbs | 9' 4" | 8' 5" | | | | | | | | | |



JLG TELEHANDLER



GENIE ROUGH TERRAIN HANDLER



SCISSOR LIFTS & TELEHANDLERS

| ROUGH TERRAIN TELEHANDLERS | | | | | | | | MAGNI | | | | | | |
|----------------------------|----------|------------|--------|------------|---------|--------|---------------|--------|----------|------------|--------|------------|----------------------|----------------------------|
| Make/Model | Capacity | Reach | Weight | Length | Width | Height | Fuel Capacity | Model | Capacity | Max Height | Weight | Dimensions | Fuel Capacity | |
| Genie | GTH-5519 | 5,500 lbs | 19' | 9,820 lbs | 12' 2" | 5' 11" | 6' 4" | 16 gal | 10.10 | 22,000 lbs | 31.2' | 30,645 lbs | 18'6" x 8'4" x 9'8" | 53 gal |
| | GTH-636 | 6,000 lbs | 36' | 17,600 lbs | 17' 10" | 7' 11" | 7' 10" | 27 gal | 5.25 | 11,000 lbs | 82' | 36,595 lbs | 24'6" x 8'2" x 10'1" | 47 gal |
| | GTH-844 | 8,000 lbs | 44' | 22,500 lbs | 20' 3" | 7' 11" | 7' 10" | 35 gal | 6.25 | 13,200 lbs | 82' | 44,205 lbs | 25'8" x 8'4" x 10'3" | 47 gal |
| | GTH-1544 | 15,000 lbs | 44' | 33,686 lbs | 20' 4" | 7' 11" | 8' 7" | 47 gal | 6.35 | 13,200 lbs | 114' | 52,625 lbs | 26'2" x 8'4" x 10'3" | 71 gal |
| Skyjack | SJ843 | 8,000 lbs | 43' | 21,980 lbs | 19' 6" | 8' 5" | 7' 11" | 35 gal | | | | | | Measurements are Retracted |
| | SJ1044 | 10,000 lbs | 44' | 27,645 lbs | 21' 2" | 8' 5" | 8' 1" | 35 gal | | | | | | |
| | SJ1056 | 10,000 lbs | 56' | 31,500 lbs | 22' 2" | 8' 5" | 8' 1" | 35 gal | | | | | | |
| | SJ1256 | 12,000 lbs | 56' | 34,500 lbs | 23' 1" | 8' 5" | 8' 6" | 35 gal | | | | | | |
| JLG | 1043 | 10,000 lbs | 43' | 26,235 lbs | 19' 9" | 8' 1" | 8' 4" | 38 gal | | | | | | |
| | 1055 | 10,000 lbs | 55' | 31,559 lbs | 20' | 8' 4" | 8' 4" | 38 gal | | | | | | |
| | 1075 | 10,000 lbs | 75' | 43,600 lbs | 24' | 8' 2" | 10' | 38 gal | | | | | | |
| | 1255 | 12,000 lbs | 55' | 33,960 lbs | 20' | 8' 4" | 8' 4" | 38 gal | | | | | | |
| SkyTrak | 6036 | 6,000 lbs | 36' | 21,300 lbs | 18' 8" | 8' 3" | 8' 4" | 35 gal | | | | | | |
| | 10054 | 10,000 lbs | 54' | 28,200 lbs | 21' | 8' 6" | 8' 4" | 35 gal | | | | | | |

Swing carriage, 72" forks, 12' truss boom, 10,000 lb lift hook, or 1.75 yard bucket available upon request.



GENIE SCISSOR LIFT

MAGNI TELESCOPIC HANDLER

BOOM LIFTS & PLATFORMS



TEUPEN CRAWLER BOOM LIFT

GENIE ARTICULATING BOOM LIFTS

| Model | Capacity | Platform Height | Weight | Length | Width | Fuel Capacity |
|---------------------|----------|-----------------|------------|--------|--------|---------------|
| Z30/20 N | 500 lbs | 30' | 14,170 lbs | 16' 9" | 3' 11" | - |
| Z33/18 | 440 lbs | 33' | 8,080 lbs | 13' 8" | 4' 11" | - |
| Z34/22 Bi-Energy | 500 lbs | 34' | 12,000 lbs | 18' 6" | 5' 8" | 9 gal |
| Z34/22N | 500 lbs | 34' | 11,400 lbs | 18' 9" | 4' 10" | - |
| Z34/22RT DSL | 500 lbs | 34' | 10,450 lbs | 18' 7" | 6' 1" | 9 gal |
| Z40/23N | 500 lbs | 40' | 15,230 lbs | 21' 5" | 4' 11" | - |
| Z45 DC | 500 lbs | 45' | 15,350 lbs | 18' 3" | 5' 10" | - |
| Z45RT Gas/LP or DSL | 500 lbs | 45' | 13,400 lbs | 17' 8" | 7' 6" | 17 gal |
| Z60 Gas/LP or DC | 500 lbs | 60' | 22,520 lbs | 26' 9" | 8' 1" | 20 gal |
| Z62 DSL | 500 lbs | 62' | 22,155 lbs | 30' 4" | 8' 2" | 35 gal |
| Z80 DSL | 500 lbs | 80' | 37,500 lbs | 37' | 8' 2" | 35 gal |
| Z135 DSL | 600 lbs | 135' | 45,200 lbs | 42' 5" | 8' 2" | 40 gal |

GENIE MATERIAL LIFTS

| Model | Capacity | Lifting Height | Weight | Width | Length | Height |
|--------|-----------|----------------|---------|-------|--------|--------|
| GH-3.8 | 300 lbs | 12' 5" | 75 lbs | 4' 5" | 2' | 3' 5" |
| GH-5.6 | 250 lbs | 18' 4" | 82 lbs | 4' 5" | 2' | 4' 6" |
| GL-10 | 350 lbs | 11' 8" | 164 lbs | 3' 7" | 3' 7" | 6' 6" |
| SLA-10 | 1,000 lbs | 11' 5" | 260 lbs | 2' 7" | 2' 5" | 6' 6" |
| SLA-20 | 800 lbs | 21' 2" | 405 lbs | 2' 7" | 2' 5" | 6' 6" |
| SLC-18 | 650 lbs | 18' 6" | 307 lbs | 2' 7" | 2' 10" | 7' 2" |
| SLC-24 | 650 lbs | 24' | 347 lbs | 2' 7" | 2' 10" | 7' 2" |

TEUPEN TRACKED ARTICULATING BOOM LIFTS

| Model | Capacity | Platform Height | Weight | Length | Width | Fuel Capacity |
|---------|----------|-----------------|-----------|---------|-------|---------------|
| TL-35A | 441 lbs | 35' 5" | 3,086 lbs | 15' 7" | 2' 7" | 1 gal |
| TL-44AJ | 441 lbs | 44' 6" | 4,850 lbs | 17' 1" | 2' 9" | 3 gal |
| TL-54AJ | 441 lbs | 54' | 5,401 lbs | 17' 1" | 2' 7" | 3 gal |
| TL-69A | 441 lbs | 68' 10" | 6,592 lbs | 20' 4" | 3' 3" | 3 gal |
| TL-72A | 441 lbs | 72' | 7,275 lbs | 20' 12" | 3' 3" | 3 gal |
| TL-92SJ | 441 lbs | 92' | 9,480 lbs | 23' 8" | 5' 3" | 10 gal |

AERIAL WORK PLATFORMS

| Model | Capacity | Platform Height | Weight | Width | Length | Height |
|---------|----------|-----------------|-----------|-------|--------|--------|
| AWP-20S | 350 lbs | 20' | 766 lbs | 30" | 4' 1" | 6' 6" |
| AWP-25S | 350 lbs | 25' | 817 lbs | 30" | 4' 4" | 6' 6" |
| AWP-30S | 350 lbs | 30' | 867 lbs | 30" | 4' 5" | 6' 6" |
| AWP-40S | 300 lbs | 40' | 1,040 lbs | 30" | 4' 8" | 9' 2" |
| GR-12 | 500 lbs | 12' | 1,581 lbs | 30" | 4' 5" | 5' 2" |
| GR-15 | 500 lbs | 15' | 2,192 lbs | 30" | 4' 5" | 5' 2" |
| GR-20 | 500 lbs | 20' | 2,451 lbs | 32" | 4' 5" | 6' 6" |

GENIE TELESCOPING STRAIGHT BOOM LIFTS

| Model | Capacity | Platform Height | Weight | Length | Width | Fuel Capacity |
|-------|--------------|-----------------|------------|---------|-------|---------------|
| S45 | 500 lbs | 45' | 15,230 lbs | 27' 10" | 7' 6" | 20 gal |
| S60X | 500/1000 lbs | 60' | 20,740 lbs | 27' 9" | 8' 2" | 35 gal |
| S65 | 500 lbs | 65' | 22,270 lbs | 30' 11" | 8' 2" | 35 gal |
| S85 | 500 lbs | 85' | 38,000 lbs | 40' | 8' 2" | 35 gal |
| S125 | 500 lbs | 125' | 44,640 lbs | 46' 9" | 8' 2" | 40 gal |
| SX135 | 660/1000 lbs | 135' | 47,500 lbs | 64' 10" | 8' 2" | 40 gal |

SCAFFOLDING

| POWER SNAPPY | Capacity | Platform Height | Weight | Length | Width | Power |
|--------------|----------|-----------------|---------|--------|-------|---------|
| MODEL M | 500 lbs | 24-60" | 300 lbs | 5' | 2' 7" | Battery |
| MODEL L | 500 lbs | 72-108" | 475 lbs | 5' | 2' 7" | Battery |

*Please contact your salesman for Upright Aluminum Scaffolding packages and availability.



GENIE ARTICULATING BOOM LIFT

FORKLIFTS & DIRT EQUIPMENT

HYSTER/YALE CUSHION TIRE INDUSTRIAL FORKLIFTS

| Model | Capacity | Load Center | Lift Height | Weight | Length | Width | Lowered Height |
|-----------|------------|-------------|-------------|------------|--------|--------|----------------|
| S35FT | 3,500 lbs | 24" | 15' 7" | 6,911 lbs | 6' 11" | 3' 2" | 6' 10" |
| S50FT | 5,000 lbs | 24" | 15' 9" | 8,944 lbs | 7' 6" | 3' 6" | 7' 1" |
| S50FT 4/S | 5,000 lbs | 24" | 20' | 9,478 lbs | 7' 6" | 3' 6" | 7' 1" |
| S80FTBCS | 8,000 lbs | 24" | 15' 5" | 13,521 lbs | 7' 11" | 3' 10" | 7' 4" |
| S120FT | 12,000 lbs | 24" | 15' 5" | 17,383 lbs | 9' 4" | 3' 10" | 7' 8" |
| S155FT | 15,500 lbs | 24" | 15' 5" | 21,326 lbs | 9' 7" | 4' 8" | 7' 4" |

ELECTRIC FORKLIFTS

| Model | Description | Capacity | Load Center | Length | Width | Height | Voltage |
|---------------|--------------------|------------|-------------|--------|--------|--------|---------|
| ESC030 | Stand Up | 3,000 lbs | 24" | 5' 4" | 3' 6" | 7' 4" | 36V |
| E40HSD | Stand Up | 4,000 lbs | 24" | 6' 10" | 3' 6" | 7' 4" | 48V |
| MARIOTTI 10AC | Sit Down | 1,950 lbs | 24" | 4' 7" | 2' 9" | 6' 3" | 24V |
| MARIOTTI 12AC | Sit Down | 2,100 lbs | 24" | 5' 1" | 2' 11" | 6' 10" | 36V |
| J40XN | Sit Down | 4,000 lbs | 24" | 6' 3" | 3' 8" | 6' 10" | 48V |
| R30XMS | Order Picker | 3,000 lbs | 24" | 6' | 3' 5" | 7' 5" | 24V |
| N40ZR | Narrow Aisle Reach | 4,000 lbs | 24" | 6' 6" | 3' 7" | 8' 11" | 24V |
| T72AC | Tow Tractor | 15,000 lbs | | 5' | 3' 1" | 4' 4" | 24V |
| W45ZHD | Pallet Jack | 4,500 lbs | | 5' 9" | 2' 4" | 2' 8" | 24V |
| B60ZHD | Pallet Jack | 4,000 lbs | | 5' 9" | 2' 5" | 2' 8" | 24V |

HYSTER/YALE PNEUMATIC TIRE INDUSTRIAL FORKLIFTS

| Model | Capacity | Load Center | Lift Height | Weight | Length | Width | Lowered Height |
|---------------|-------------|-------------------|-------------|-------------|---------|--------|----------------|
| H35FT | 3,500 lbs | 24" | 15' 7" | 6,859 lbs | 7' 5" | 3' 6" | 7' |
| H50FT Low-Pro | 5,000 lbs | 24" | 14' 3" | 8,679 lbs | 8' 5" | 3' 10" | 6' 7" |
| H50FT | 5,000 lbs | 24" | 15' 7" | 8,757 lbs | 8' 5" | 3' 10" | 7' 2" |
| H60FT | 6,000 lbs | 24" | 15' 7" | 10,352 lbs | 8' 7" | 3' 10" | 7' 5" |
| H80FT | 8,000 lbs | 24" | 15' 5" | 13,076 lbs | 9' 8" | 4' 7" | 7' 2" |
| H110FT | 11,000 lbs | 24" | 15' 5" | 15,560 lb. | 10' 9" | 4' 9" | 9' |
| H120FT | 12,000 lbs | 24" | 13' 7" | 16,519 lbs | 10' 11" | 4' 9" | 9' |
| H155FT | 15,500 lbs | 24" | 17' 8" | 20,960 lbs | 12' | 6' 10" | 12' 4" |
| H230HD | 23,000 lbs | 24" | 17' 8" | 33,663 lbs | 14' 2" | 9' | 14' 8" |
| H360HD | 36,000 lbs | 24" | 17' 8" | 47,172 lbs | 17' 10" | 9' | 14' 8" |
| H360HD-48 | 36,000 lbs | 48" | 15' | 49,580 lbs | 17' 10" | 9' | 13' 5" |
| H550HD | 55,000 lbs | 36" | 12' 4" | 80,658 lbs | 19' 1" | 10' 7" | 12' 7" |
| H700HD | 70,000 lbs | 36" | 32' 4" | 97,795 lbs | 20' 1" | 11' 3" | 24' 7" |
| H1050HDS | 105,000 lbs | 48" | 41' 11" | 157,827 lbs | 35' 1" | 12' 9" | 31' |
| H1150HD | 115,000 lbs | CONTAINER HANDLER | 49' 4" | 171,070 lbs | 35' 1" | 12' 9" | 31' 3" |

JOHN DEERE COMPACT EXCAVATORS

| Model | Weight | Dig Reach | Dig Depth | Width | Height | Fuel Capacity |
|-------|------------|-----------|-----------|--------|--------|---------------|
| 17G | 3,790 lbs | 12' 6" | 7' 2" | 3' 3" | 7' 10" | 5 gal |
| 26G | 5,666 lbs | 15' 2" | 8' 6" | 4' 11" | 8' | 9 gal |
| 35G | 7,760 lbs | 17' 1" | 10' | 5' 9" | 8' 2" | 11 gal |
| 50G | 10,847 lbs | 19' 7" | 11' 7" | 6' 7" | 8' 4" | 21 gal |

JOHN DEERE SKID STEER LOADERS

| Model | Lift Capacity | Weight | Height | Length w/ Bkt | Width w/Bkt | Fuel Capacity |
|-------|---------------|------------|--------|---------------|-------------|---------------|
| 316GR | 1,760 lbs | 6,315 lbs | 6' 6" | 10' 7" | 5' 8" | 19 gal |
| 320G | 2,190 lbs | 7,150 lbs | 6' 7" | 11' 5" | 5' 8" | 20 gal |
| 324G | 2,690 lbs | 7,500 lbs | 6' 9" | 12' | 6' 2" | 24 gal |
| 332G | 3,600 lbs | 10,000 lbs | 7' 2" | 12' 7" | 6' 6" | 25 gal |

JOHN DEERE COMPACT TRACK LOADERS

| Model | Lift Capacity | Weight | Height | Length w/ Bkt | Width w/Bkt | Fuel Capacity |
|-------|---------------|------------|--------|---------------|-------------|---------------|
| 317G | 2,125 lbs | 8,195 lbs | 6' 5" | 10' 5" | 6' 5" | 19 gal |
| 325G | 2,590 lbs | 9,440 lbs | 6' 7" | 11' 4" | 6' | 20 gal |
| 331G | 3,100 lbs | 11,900 lbs | 7' 3" | 12' 1" | 6' 8" | 30 gal |
| 333G | 3,700 lbs | 12,100 lbs | 7' 3" | 12' 1" | 6' 8" | 30 gal |



JOHN DEERE SKID-STEER LOADER



HYSTER PNEUMATIC TIRE INDUSTRIAL FORKLIFT

PORTABLE POWER & MISCELLANEOUS CONSTRUCTION



DOOSAN LED LIGHT TOWER

| LOADER/EXCAVATOR ATTACHMENTS | | |
|------------------------------|--------------------|-----------|
| Description | Equipment | Weight |
| 48" Forks | Loader | 364 lbs |
| 60" QA60 Mower | Loader (High Flow) | 1,350 lbs |
| CX8 Breaker | Loader/Excavator | 810 lbs |
| PA30 Auger (6-36" Bits) | Loader/Excavator | 313 lbs |
| 40" EX40 Mower | Excavator | 550 lbs |

| DOOSAN LIGHT TOWER | | | | | |
|--------------------|-----------|-------|--------------|-----------|---------------|
| Model | Weight | Width | Tower Height | Runtime | Fuel Capacity |
| LSC 60Hz | 1,569 lbs | 4' 1" | 30' | 55 hours | 28 gal |
| LCV 60Hz - LED | 1,669 lbs | 4' 4" | 23' | 210 hours | 52 gal |

| DOOSAN AIR COMPRESSORS | | | | | | |
|------------------------|--------|-------------|--------|-------|--------|---------------|
| Model/CFM | PSI | Weight | Length | Width | Height | Fuel Capacity |
| C185 | 80-125 | 2,225 lbs | 11' 2" | 5' 2" | 5' 3" | 21 gal |
| P185 | 80-125 | 2,272 lbs | 11' 6" | 5' 9" | 5' 6" | 27 gal |
| P425/HP375 IQ | 80-175 | 4,535 lbs | 12' 7" | 6' 6" | 5' 8" | 60 gal |
| XHP750 | 350 | 12,307 lbs | 18' 8" | 6' 8" | 8' 4" | 128 gal |
| XHP900 | 365 | 13,600 lbs | 15' 9" | 7' 4" | 8' 4" | 180 gal |
| HP935 IQ | 150 | 10,400 lbs | 16' 9" | 6' 8" | 7' 7" | 142 gal |
| HP1600 IQ | 150 | 19,565 lbs. | 24' 5" | 7' 4" | 8' 9" | 198 gal |
| XHP1000 | 365 | 17,021 lbs | 16' 8" | 7' | 8' 4" | 180 gal |
| XHP1170 | 365 | 19,565 lbs | 24' 4" | 7' 6" | 8' 4" | 198 gal |

| DOOSAN GENERATORS | | | | | | |
|-------------------|-----------|------------|---------|--------|--------|---------------|
| Model | kVA (kW) | Weight | Length | Width | Height | Fuel Capacity |
| G25 | 25 (20) | 3,140 lbs | 10' 11" | 6' | 6' 4" | 46 gal |
| G50 | 50 (41) | 3,870 lbs | 10' 8" | 6' 8" | 6' 6" | 102 gal |
| G70 | 76 (61) | 5,260 lbs | 13' 0" | 5' 8" | 6' 11" | 92 gal |
| G85 | 97 (78) | 7,220 lbs | 13' 8" | 6' | 6' 11" | 189 gal |
| G125 | 125 (125) | 6,950 lbs | 14' 2" | 6' 5" | 7' 6" | 176 gal |
| G150 | 154 (123) | 7,040 lbs | 14' 2" | 6' 5" | 7' 5" | 176 gal |
| G190 | 181 (145) | 11,377 lbs | 18' 6" | 6' 11" | 8' 6" | 330 gal |
| G240 | 235 (188) | 11,377 lbs | 18' 7" | 6' 9" | 8' 5" | 330 gal |
| G325 | 334 (267) | 14,032 lbs | 20' | 6' 9" | 9' 4" | 460 gal |

| UTILITY VEHICLES & CARTS | | | | | |
|--------------------------|-------------------------|-----------|--------|-------|--------|
| Model | Description | Weight | Length | Width | Height |
| 855D Gator | JD 4x4 Utility Vehicle | 1,640 lbs | 9' 11" | 5' 2" | 6' 3" |
| E242 | Motrec 3-Wheel 24V Cart | 800 lbs | 6' 3" | 2' 5" | 3' 10" |
| E330 | Motrec 4-Wheel 36V Cart | 1,400 lbs | 10' | 3' 8" | 3' 10" |
| E480 | Motrec 4-Wheel 48V Cart | 1,100 lbs | 10' 3" | 3' 9" | 3' 9" |



DOOSAN AIR COMPRESSOR



CONTACT US TODAY

WE OFFER OPERATOR TRAINING, SALES, PARTS AND SERVICE THROUGH PAPÉ MATERIAL HANDLING.

Learn more at papemh.com or visit one of our locations in Washington, Oregon, California, Nevada, Hawaii and Montana.

ARLINGTON
16910 59th Ave NE, Suite 110
Arlington, WA 98223
(360) 474-8461

POULSBO
23010 Ryen Dr NW
Poulsbo, WA 98370
(360) 598-2819

SPOKANE
5518 E Broadway
Spokane Valley, WA 99212
(509) 534-0678

YAKIMA
909 S 18th Street
Yakima, WA 98901
(509) 248-5636

BELLINGHAM
3896 Irongate Road
Bellingham, WA 98226
(360) 756-6572

SEATTLE
9883 40th Avenue S
Seattle, WA 98118
(206) 722-5800


WENATCHEE
3500 Chelan Hwy N
Wenatchee, WA 98801
(509) 884-2934

FIFE
1307 54th Avenue E
Fife, WA 98424
(253) 926-4386

BILLINGS
7072 Commercial Ave
Billings, MT 59101
(406) 252-7667

MISSOULA
360 Expressway
Missoula, MT 59808
(406) 728-9221

PASCO
1224 N. California Ave.
Pasco, WA 99301
(509) 545-1959





ALAMO

Genie

Pape Rents
MATERIAL HANDLING



Pape R

Pape Rents

Keeps You Moving®